From: SHLLAKU Paul < Paul.Shllaku@hydroone.com>

Sent: Friday, March 3, 2023 2:24 PM

To: Jennie Hyun-Ji Song < <u>JSong@pelham.ca</u>>

Subject: Town of Pelham-26 Chestnut Street-B5/2023P


Hello,

We are in receipt of your Application for Consent, B5/2023P dated March 3rd 2023. We have reviewed the documents concerning the noted Application and have no comments or concerns at this time. <u>Our preliminary review considers issues affecting Hydro One's 'High Voltage Facilities and Corridor Lands' only.</u>

For proposals affecting 'Low Voltage Distribution Facilities' please consult your local area Distribution Supplier.

To confirm if Hydro One is your local distributor please follow the following link: http://www.hydroone.com/StormCenter3/

Please select "Search" and locate address in question by entering the address or by zooming in and out of the map



If Hydro One is your local area Distribution Supplier, please contact Customer Service at 1-888-664-9376 or e-mail <u>CustomerCommunications@HydroOne.com</u> to be connected to your Local Operations Centre

Please let me know if you have any questions or concerns.

Thank you,

Dennis De Rango

Specialized Services Team Lead, Real Estate Department Hydro One Networks Inc.

Tel: (905)946-6237

Email: <u>Dennis.DeRango@HydroOne.com</u>

This email and any attached files are privileged and may contain confidential information intended only for the person or persons named above. Any other distribution, reproduction, copying, disclosure, or other dissemination is strictly prohibited. If you have received this email in error, please notify the sender immediately by reply email and delete the transmission received by you. This statement applies to the initial email as well as any and all copies (replies and/or forwards) of the initial email